



Document Object Model (DOM) Level 3 XPath Specification

Version 1.0

W3C Working Draft 08 February 2002

This version:

<http://www.w3.org/TR/2002/WD-DOM-Level-3-XPath-20020208>
(PostScript file , PDF file , plain text , ZIP file , single HTML file)

Latest version:

<http://www.w3.org/TR/DOM-Level-3-XPath>

Previous version:

<http://www.w3.org/TR/2001/WD-DOM-Level-3-XPath-20011031>

Editor:

Ray Whitmer, *Netscape/AOL*

Copyright ©2002 W3C® (MIT, INRIA, Keio), All Rights Reserved. W3C liability, trademark, document use and software licensing rules apply.

Abstract

This specification defines the Document Object Model Level 3 XPath. It provides simple functionalities to access a DOM tree using [XPath 1.0]. This module builds on top of the Document Object Model Level 3 Core [DOM Level 3 Core].

Status of this document

This section describes the status of this document at the time of its publication. Other documents may supersede this document. The latest status of this document series is maintained at the W3C.

This document contains the Document Object Model Level 3 XPath specification.

This is a Working Draft for review by W3C members and other interested parties.

It is a draft document and may be updated, replaced or obsoleted by other documents at any time. It is inappropriate to use W3C Working Drafts as reference material or to cite them as other than "work in progress". This is work in progress and does not imply endorsement by, or the consensus of, either W3C

or members of the DOM Working Group or members of the XSL Working Group.

Comments on this document are invited and are to be sent to the public mailing list www-dom@w3.org. An archive is available at <http://lists.w3.org/Archives/Public/www-dom/>.

This document has been produced as part of the W3C DOM Activity. The authors of this document are the DOM Working Group members.

A list of current W3C Recommendations and other technical documents can be found at <http://www.w3.org/TR>.

Table of contents

Expanded Table of Contents3
Copyright Notice5
1. Document Object Model XPath9
Appendix A: IDL Definitions	25
Appendix B: Java Language Binding	29
Appendix C: ECMAScript Language Binding	33
Appendix D: Acknowledgements	37
Glossary	39
References	41
Index	43

Expanded Table of Contents

Expanded Table of Contents3
Copyright Notice5
W3C Document Copyright Notice and License5
W3C Software Copyright Notice and License6
1. Document Object Model XPath9
1.1. Introduction9
1.2. Mapping DOM to XPath9
1.2.1. Text Nodes9
1.2.2. Namespace Nodes9
1.2.3. Document order	10
1.3. Interfaces	10
Appendix A: IDL Definitions	25
Appendix B: Java Language Binding	29
B.1. Other XPath interfaces	29
Appendix C: ECMAScript Language Binding	33
Appendix D: Acknowledgements	37
D.1. Production Systems	37
Glossary	39
References	41
1. Normative references	41
2. Informative references	41
Index	43

Expanded Table of Contents

Copyright Notice

Copyright © 2002 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

This document is published under the W3C Document Copyright Notice and License [p.5] . The bindings within this document are published under the W3C Software Copyright Notice and License [p.6] . The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

W3C Document Copyright Notice and License

Note: This section is a copy of the W3C Document Notice and License and could be found at <http://www.w3.org/Consortium/Legal/copyright-documents-19990405>.

Copyright © 1994-2002 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Public documents on the W3C site are provided by the copyright holders under the following license. The software or Document Type Definitions (DTDs) associated with W3C specifications are governed by the Software Notice. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on *ALL* copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice of the form: "Copyright © [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>" (Hypertext is preferred, but a textual representation is permitted.)
3. *If it exists*, the STATUS of the W3C document.

When space permits, inclusion of the full text of this **NOTICE** should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

W3C Software Copyright Notice and License

Note: This section is a copy of the W3C Software Copyright Notice and License and could be found at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>

Copyright © 1994-2002 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

This W3C work (including software, documents, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, and modify this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications, that you make:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers. If none exist, then a notice of the following form: "Copyright © [Date-of-software] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>."

3. Notice of any changes or modifications to the W3C files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

1. Document Object Model XPath

Editor:

Ray Whitmer, Netscape/AOL

1.1. Introduction

XPath 1.0 [XPath 1.0] is becoming an important part of a variety of many specifications including XForms, XPointer, XSL, XML Query, and so on. It is also a clear advantage for user applications which use DOM to be able to use XPath expressions to locate nodes automatically and declaratively. But *liveness* [p.39] issues have plagued each attempt to get a list of DOM nodes matching specific criteria, as would be expected for an XPath *API* [p.39]. There have also traditionally been *model* [p.39] mismatches between DOM and XPath. This proposal specifies new interfaces and approaches to resolving these issues.

Issue XPath-2:

There should be a function to generate an XPath expression which addresses any arbitrary node within the DOM.

Resolution: Out of scope.

That is out of scope for the current requirements of this module. It could be a quite useful feature but probably not as a part of this module.

1.2. Mapping DOM to XPath

This section considers the differences between the Document Object Model [DOM Level 3 Core] and the XPath 1.0 model [XPath 1.0].

1.2.1. Text Nodes

The XPath model relies on the XML Information Set [XML Information set] and represents *Character Information Items* in a single logical text node where DOM may have multiple fragmented `Text` nodes due to `cdata` sections, entity references, etc. Instead of returning multiple nodes where XPath sees a single logical text node, only the first non-empty DOM `Text` or `CDATASection` node of any logical XPath text will be returned in the node set. Applications using XPath in an environment with fragmented text nodes must manually gather the text of a single logical text node possibly from multiple nodes beginning with the first `Text` node or `CDATASection` node returned by the implementation.

Note: In an attempt to better implement the XML Information Set, DOM Level 3 Core [DOM Level 3 Core] adds the attribute `wholeText` on the `Text` interface for retrieving the whole text for *logically-adjacent Text nodes* [p.39] and the method `replaceWholeText` for replacing those nodes.

1.2.2. Namespace Nodes

The XPath model expects namespace nodes for each in-scope namespace to be attached to each *element* [p.39]. DOM and certain other W3C Information Set conformant implementations only maintain the declaration of namespaces instead of replicating them on each `Element` where they are in-scope. The DOM implementation of XPath returns a new node of type `XPATH_NAMESPACE_NODE`, defined in the `XPathNamespace` [p.21] interface, to properly preserve identity and ordering. This node type is only visible using the XPath evaluation methods.

1.2.3. Document order

The *document order* [p.39] of nodes in the DOM Core has been defined to be compatible with the *XPath document order*. The XPath DOM is extending the document order of the DOM Core to include the `XPathNamespace` [p.21] nodes. Element nodes occur before their children. The attribute nodes and namespace nodes of an element occur before the children of the element. The namespace nodes are defined to occur before the attribute nodes. The relative order of namespace nodes is implementation-dependent. The relative order of attribute nodes is implementation-dependent. The `compareTreePosition` method on the `Node` interface defined in the DOM Core must compare the `XPathNamespace` nodes using this extending document order if the XPath DOM module is supported.

1.3. Interfaces

A DOM application may use the `hasFeature(feature, version)` method of the `DOMImplementation` interface with parameter values "XPath" and "3.0" (respectively) to determine whether or not the event module is supported by the implementation. In order to fully support this module, an implementation must also support the "Core" feature defined in the DOM Level 3 Core specification [DOM Level 3 Core]. Please, refer to additional information about conformance in the DOM Level 3 Core specification [DOM Level 3 Core].

Exception *XPathException*

A new exception has been created for exceptions specific to these XPath interfaces.

IDL Definition

```
exception XPathException {
    unsigned short    code;
};
// XPathExceptionCode
const unsigned short    INVALID_EXPRESSION_ERR    = 1;
const unsigned short    TYPE_ERR                  = 2;
```

Definition group *XPathExceptionCode*

Defined Constants

`INVALID_EXPRESSION_ERR`

If the expression is not a legal expression according to the rules of the specific `XPathEvaluator` [p.11]. If the `XPathEvaluator` was obtained by casting the document, the expression must be XPath 1.0 with no special extension functions.

Issue XPath-4:

A separate exception should be raised if there are problems resolving namespaces.

Resolution: Yes. These now raise DOMException with the code NAMESPACE_ERR.

TYPE_ERR

If the expression cannot be converted to return the specified type.

Interface XPathEvaluator

The evaluation of XPath expressions is provided by XPathEvaluator, which will provide evaluation of XPath 1.0 expressions with no specialized extension functions or variables. It is expected that the XPathEvaluator interface will be implemented on the same object which implements the Document interface in an implementation which supports the XPath DOM module. XPathEvaluator implementations may be available from other sources that may provide support for new versions of XPath or special extension functions or variables which are not defined in this specification.

Issue XPath-16:

The methods of XPathExpression should be named with more-XPath- specific names because the interface will often be implemented by the same object which implements document.

Resolution: No change.

The point of interfaces is to localize the implementing namespace. This would make the method names unnecessarily long and complex even though there are no conflicts in the interface itself. The new core method getInterface is designed for discovering interfaces of additional modules that may not be directly implemented on the objects to which they are attached. This could be used to implement XPath on a separate object. The user only refers to the separate interfaces and not the proprietary aggregate implementation.

Issue XPath-22:

Should entity refs be supported so that queries can be made on them?

Resolution: No change.

We will not do this now. They are not part of the XPath data model. Note that they may be present in the hierarchy of returned nodes, but may not directly be requested or returned in the node set.

Issue XPath-24:

What does createResult create when one wants to reuse the XPath?

Resolution: It is not useful.

Removed method.

Issue XPath-27:

Should ordering be a separate flag, or a type of result that can be requested. As a type of result, it can be better optimized in implementations.

Resolution: It makes sense as a type of result. Changed.

Removed method.

IDL Definition

```
interface XPathEvaluator {
    XPathExpression    createExpression(in DOMString expression,
                                       in XPathNSResolver resolver)
                                       raises(XPathException,
```

```

                                DOMException);
XPathNSResolver  createNSResolver(in Node nodeResolver);
XPathResult      evaluate(in DOMString expression,
                          in Node contextNode,
                          in XPathNSResolver resolver,
                          in unsigned short type,
                          in XPathResult result)
                                raises(XPathException,
                                DOMException);
};

```

Methods

createExpression

Creates a parsed XPath expression with resolved namespaces. This is useful when an expression will be reused in an application since it makes it possible to compile the expression string into a more efficient internal form and preresolve all *namespace prefixes* [p.39] which occur within the expression.

Issue XPath-5:

createExpression should not raise exceptions about type coercion.

Resolution: This was already fixed in the public draft.

Parameters

expression of type DOMString

The XPath expression string to be parsed.

resolver of type XPathNSResolver [p.16]

The resolver permits translation of prefixes within the XPath expression into appropriate *namespace URIs* [p.39]. If this is specified as null, any *namespace prefix* [p.39] within the expression will result in DOMException being thrown with the code NAMESPACE_ERR.

Return Value

XPathExpression [p.15] The compiled form of the XPath expression.

Exceptions

XPathException [p.10] INVALID_EXPRESSION_ERR: Raised if the expression is not legal according to the rules of the XPathEvaluator

DOMException NAMESPACE_ERR: Raised if the expression contains *namespace prefixes* [p.39] which cannot be resolved by the specified XPathNSResolver [p.16].

createNSResolver

Adapts any DOM node to resolve namespaces so that an XPath expression can be easily evaluated relative to the context of the node where it appeared within the document. This adapter works by calling the method lookupNamespacePrefix on Node.

Issue XPath-6:

It should be possible to create an XPathNSResolver that does not rely on a node, but which implements a map of resolutions that can be added to by the application.

Resolution: No change.

The application can easily create this, which was why the interface was designed as it is. The specification will not require a specific factory at this time for application populated maps.

Issue XPath-14:

There should be type restrictions on which types of nodes may be adapted by createNSResolver.

Resolution: No change.

The namespace methods on the Node interface of the Level 3 core may be called without exception on all node types. In some cases no non-null namespace resolution will ever be returned. That is what may also be expected of this adapter.

Parameters

nodeResolver of type Node

The node to be used as a context for namespace resolution.

Return Value

XPathNSResolver [p.16]	XPathNSResolver which resolves namespaces with respect to the definitions in scope for a specified node.
---------------------------	----------------------------------------------------------------------------------------------------------

No Exceptions

evaluate

Evaluates an XPath expression string and returns a result of the specified type if possible.

Issue XPath-17-18:

An exception needs to be raised when an XPath expression is evaluated on a node such as an EntityReference which cannot serve as an XPath context node.

Resolution: Done: NOT_SUPPORTED_ERR.

Issue XPath-19:

A description is needed of what happens when the node passed to the evaluation function is a Text or CDATASection in the DOM case where the text may be fragmented between text nodes.

Resolution: Done.

Issue XPath-20:

Eliminate the evaluate method from XPathEvaluator, forcing everyone to create expressions.

Resolution: No change.

Any implementor can easily implement it by creating an expression. Having it available as a separate routine is a convenience and may be an optimization as well in some cases.

Issue XPath-21:

Revert to multiple evaluateAs methods instead of passing a type code.

Resolution: No change.

This is an alternative which eliminates a method argument while adding methods, but the type code is used to designate the type on returns anyway and using it as an argument to specify any coercion seems natural to many.

Issue XPath-13:

Error exceptions are needed when there is a mismatch between the implementation of `XPathEvaluator` and the context node being evaluated.

Resolution: Done: `WRONG_DOCUMENT_ERR`

Parameters

`expression` of type `DOMString`

The XPath expression string to be parsed and evaluated.

`contextNode` of type `Node`

The context is context node for the evaluation of this XPath expression. If the `XPathEvaluator` was obtained by casting the `Document` then this must be owned by the same document and must be a `Document`, `Element`, `Attribute`, `Text`, `CDATASection`, `Comment`, `ProcessingInstruction`, or `XPathNamespace` [p.21] node. If the context node is a `Text` or a `CDATASection`, then the context is interpreted as the whole logical text node as seen by XPath, unless the node is empty in which case it may not serve as the XPath context.

`resolver` of type `XPathNSResolver` [p.16]

The `resolver` permits translation of prefixes within the XPath expression into appropriate *namespace URIs* [p.39] . If this is specified as null, any *namespace prefix* [p.39] within the expression will result in `DOMException` being thrown with the code `NAMESPACE_ERR`.

`type` of type `unsigned short`

If a specific `type` is specified, then the result will be coerced to return the specified type relying on XPath conversions and fail if the desired coercion is not possible. This must be one of the type codes of `XPathResult` [p.17] .

`result` of type `XPathResult` [p.17]

The `result` specifies a specific `XPathResult` which may be reused and returned by this method. If this is specified as null or the implementation cannot reuse the specified result, a new `XPathResult` will be constructed and returned.

Return Value

`XPathResult` [p.17] The result of the evaluation of the XPath expression.

Exceptions

XPathException [p.10]	INVALID_EXPRESSION_ERR: Raised if the expression is not legal according to the rules of the XPathEvaluator or TYPE_ERR: Raised if the result cannot be converted to return the specified type.
DOMException	NAMESPACE_ERR: Raised if the expression contains <i>namespace prefixes</i> [p.39] which cannot be resolved by the specified XPathNSResolver [p.16] . WRONG_DOCUMENT_ERR: The Node is from a document that is not supported by this XPathEvaluator. NOT_SUPPORTED_ERR: The Node is not a type permitted as an XPath context node.

Interface *XPathExpression*

The XPathExpression interface represents a parsed and resolved XPath expression.

Issue XPath-8:

The evaluateExpression method should be moved to the XPathExpression interface so you do not have to use / pass two interfaces just to use it.

Resolution: Done.

Issue XPath-15:

XPathExpression should have a public reference to the XPathEvaluator that created it.

Resolution: No change.

Lacks justification.

IDL Definition

```
interface XPathExpression {
    XPathResult      evaluate(in Node contextNode,
                             in unsigned short type,
                             in XPathResult result)
                             raises(XPathException,
                                    DOMException);
};
```

Methods

evaluate

Evaluates this XPath expression and returns a result.

Parameters

contextNode of type Node

The context is context node for the evaluation of this XPath expression.

If the XPathEvaluator was obtained by casting the Document then this must be owned by the same document and must be a Document, Element, Attribute, Text, CDATASection, Comment, ProcessingInstruction, or XPathNamespace [p.21] node.

If the context node is a Text or a CDATASection, then the context is interpreted as

the whole logical text node as seen by XPath, unless the node is empty in which case it may not serve as the XPath context.

type of type unsigned short

If a specific type is specified, then the result will be coerced to return the specified type relying on XPath conversions and fail if the desired coercion is not possible. This must be one of the type codes of XPathResult [p.17].

result of type XPathResult [p.17]

The result specifies a specific XPathResult to be reused and returned by this method. If this is specified as null, a new XPathResult will be constructed and returned. Any XPathResult which was not created by this XPathEvaluator [p.11] may be ignored as though a null were passed as the parameter.

Return Value

XPathResult [p.17] The result of the evaluation of the XPath expression.

Exceptions

XPathException [p.10] TYPE_ERR: Raised if the result cannot be converted to return the specified type.

DOMException WRONG_DOCUMENT_ERR: The Node is from a document that is not supported by the XPathExpression that created this XPathExpression.

NOT_SUPPORTED_ERR: The Node is not a type permitted as an XPath context node.

Interface XPathNSResolver

The XPathNSResolver interface permit prefix strings in the expression to be properly bound to namespaceURI strings. XPathEvaluator [p.11] can construct an implementation of XPathNSResolver from a node, or the interface may be implemented by any application.

IDL Definition

```
interface XPathNSResolver {
    DOMString lookupNamespaceURI(in DOMString prefix);
};
```

Methods

lookupNamespaceURI

Look up the *namespace URI* [p.39] associated to the given *namespace prefix* [p.39]. The XPath evaluator must never call this with a null or empty argument, because the result of doing this is undefined.

Issue XPath-9:

Null / empty prefix passed to XPathNSResolver should return default namespace.

Resolution: Do not permit null to be passed in invocation, allowing the

implementation, if shared, to do anything it wants with a passed null.

It would be confusing to specify more than this since the resolution of namespaces for XPath expressions never requires the default namespace.

Issue XPath-10:

Null returns are problematic.

Resolution: No change.

They should be adequately addressed in core. Some implementations have not properly supported them, but they will be fixed to be compliant. Bindings are still free to choose alternative representations of null where required.

Parameters

prefix of type DOMString

The prefix to look for.

Return Value

DOMString Returns the associated *namespace URI* [p.39] or null if none is found.

No Exceptions

Interface XPathResult

The XPathResult interface represents the result of the evaluation of an XPath expression within the context of a particular node. Since evaluation of an XPath expression can result in various result types, this object makes it possible to discover and manipulate the type and value of the result.

Issue XPath-23:

Should there be a flag on the result to say whether an iteration has become invalid?

Resolution: Yes.

Added the boolean attribute `invalidIteratorState`

Issue XPath-25:

Should there be a reset method on the result in case someone wants to iterate the result multiple times?

It may be more trouble than it is worth, because the user can request a new query. See if there are use cases.

Issue XPath-26:

It might be better to consolidate the interfaces and just move the snapshot and iterator functions to the result object.

Resolution: Yes.

The result of the consolidation looks good and unless there are great objections, this is how it will be.

IDL Definition

```
interface XPathResult {

    // XPathResultType
    const unsigned short ANY_TYPE           = 0;
    const unsigned short NUMBER_TYPE       = 1;
    const unsigned short STRING_TYPE       = 2;
    const unsigned short BOOLEAN_TYPE      = 3;
```

1.3. Interfaces

```
const unsigned short    UNORDERED_NODE_ITERATOR_TYPE    = 4;
const unsigned short    ORDERED_NODE_ITERATOR_TYPE      = 5;
const unsigned short    UNORDERED_NODE_SNAPSHOT_TYPE    = 6;
const unsigned short    ORDERED_NODE_SNAPSHOT_TYPE      = 7;
const unsigned short    ANY_UNORDERED_NODE_TYPE         = 8;
const unsigned short    FIRST_ORDERED_NODE_TYPE         = 9;

readonly attribute unsigned short  resultType;
readonly attribute double          numberValue;
                                   // raises(XPathException) on retrieval

readonly attribute DOMString       stringValue;
                                   // raises(XPathException) on retrieval

readonly attribute boolean         booleanValue;
                                   // raises(XPathException) on retrieval

readonly attribute Node            singleNodeValue;
                                   // raises(XPathException) on retrieval

readonly attribute boolean         invalidIteratorState;
readonly attribute unsigned long   snapshotLength;
                                   // raises(XPathException) on retrieval

Node                               iterateNext()
                                   raises(XPathException,
                                           DOMException);

Node                               snapshotItem(in unsigned long index)
                                   raises(XPathException);

};
```

Definition group *XPathResultType*

An integer indicating what type of result this is.

Defined Constants

ANY_TYPE

This code does not represent a specific type. An evaluation of an XPath expression will never produce this type. If this type is requested, then the evaluation must return whatever type naturally results from evaluation of the expression.

ANY_UNORDERED_NODE_TYPE

The result is a node set as defined by XPath 1.0 and will be accessed as a single node, which may be null if the node set is empty. Document modification does not invalidate the node, but may mean that the result node no longer corresponds to the current document. This is a convenience that permits optimization where the caller knows that no more than one such node exists because evaluation can stop after finding the one node of an expression that would otherwise return a node set.

If there are more than one node in the actual result, the single node returned may not be the first.

BOOLEAN_TYPE

The result is a boolean as defined by XPath 1.0. Document modification does not invalidate the boolean, but may mean that the boolean no longer corresponds to the current document.

FIRST_ORDERED_NODE_TYPE

The result is a node set as defined by XPath 1.0 and will be accessed as a single node, which may be null if the node set is empty. Document modification does not invalidate the node, but may mean that the result node no longer corresponds to the current document. This is a convenience that permits optimization where the implementation is naturally producing document order and the caller knows that no more than one such node exists because evaluation can stop after finding the one node of an expression that would otherwise return a node set.

If there are more than one node in the actual result, the single node returned will be the first.

NUMBER_TYPE

The result is a number as defined by XPath 1.0. Document modification does not invalidate the number, but may mean that the number no longer corresponds to the current document.

ORDERED_NODE_ITERATOR_TYPE

The result is a node set as defined by XPath 1.0 that will be accessed iteratively, which will produce document-ordered nodes. Document modification invalidates the iteration.

ORDERED_NODE_SNAPSHOT_TYPE

The result is a node set as defined by XPath 1.0 that will be accessed as a snapshot list of nodes that will be in original document order. Document modification does not invalidate the snapshot, but may mean that the snapshot no longer corresponds to the current document.

STRING_TYPE

The result is a string as defined by XPath 1.0. Document modification does not invalidate the string, but may mean that the string no longer corresponds to the current document.

UNORDERED_NODE_ITERATOR_TYPE

The result is a node set as defined by XPath 1.0 that will be accessed iteratively, which may not produce nodes in a particular order. Document modification invalidates the iteration.

This is the default type returned if the result is a node set and **ANY_TYPE** is requested.

UNORDERED_NODE_SNAPSHOT_TYPE

The result is a node set as defined by XPath 1.0 that will be accessed as a snapshot list of nodes that may not be in a particular order. Document modification does not invalidate the snapshot but may mean that the snapshot no longer corresponds to the current document.

Attributes

`booleanValue` of type `boolean`, readonly

The value of this boolean result.

Exceptions on retrieval

`XPathException`
[p.10]

`TYPE_ERR`: raised if `resultType` is not `BOOLEAN_TYPE`.

`invalidIteratorState` of type `boolean`, `readonly`

Signifies that the iterator has become invalid. True if `resultType` is `UNORDERED_NODE_ITERATOR_TYPE` or `ORDERED_NODE_ITERATOR_TYPE` and the document has been modified since this result was returned.

`numberValue` of type `double`, `readonly`

The value of this number result.

Exceptions on retrieval

<code>XPathException</code> [p.10]	<code>TYPE_ERR</code> : raised if <code>resultType</code> is not <code>NUMBER_TYPE</code> .
---------------------------------------	---------------------------------------------------------------------------------------------

`resultType` of type `unsigned short`, `readonly`

A code representing the type of this result, as defined by the type constants.

`singleNodeValue` of type `Node`, `readonly`

The value of this single node result, which may be null.

Exceptions on retrieval

<code>XPathException</code> [p.10]	<code>TYPE_ERR</code> : raised if <code>resultType</code> is not <code>ANY_UNORDERED_NODE_TYPE</code> or <code>FIRST_ORDERED_NODE_TYPE</code> .
---------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------

`snapshotLength` of type `unsigned long`, `readonly`

The number of nodes in the result snapshot. Valid values for `snapshotItem` indices are 0 to `snapshotLength-1` inclusive.

Exceptions on retrieval

<code>XPathException</code> [p.10]	<code>TYPE_ERR</code> : raised if <code>resultType</code> is not <code>UNORDERED_NODE_SNAPSHOT_TYPE</code> or <code>ORDERED_NODE_SNAPSHOT_TYPE</code> .
---------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------

`stringValue` of type `DOMString`, `readonly`

The value of this string result.

Exceptions on retrieval

<code>XPathException</code> [p.10]	<code>TYPE_ERR</code> : raised if <code>resultType</code> is not <code>STRING_TYPE</code> .
---------------------------------------	---------------------------------------------------------------------------------------------

Methods

`iterateNext`

Iterates and returns the next node from the node set or null if there are no more nodes.

Return Value

`Node` Returns the next node.

Exceptions

<code>XPathException</code> [p.10]	<code>TYPE_ERR</code> : raised if <code>resultType</code> is not <code>UNORDERED_NODE_ITERATOR_TYPE</code> or <code>ORDERED_NODE_ITERATOR_TYPE</code> .
<code>DOMException</code>	<code>INVALID_STATE_ERR</code> : The document has been mutated since the result was returned.

No Parameters`snapshotItem`

Returns the `index`th item in the snapshot collection. If `index` is greater than or equal to the number of nodes in the list, this method returns `null`. Unlike the iterator result, the snapshot does not become invalid, but may not correspond to the current document if it is mutated.

Parameters

`index` of type `unsigned long`
Index into the snapshot collection.

Return Value

`Node` The node at the `index`th position in the `NodeList`, or `null` if that is not a valid index.

Exceptions

<code>XPathException</code> [p.10]	<code>TYPE_ERR</code> : raised if <code>resultType</code> is not <code>UNORDERED_NODE_SNAPSHOT_TYPE</code> or <code>ORDERED_NODE_SNAPSHOT_TYPE</code> .
---------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------

Interface *XPathNamespace*

The `XPathNamespace` interface is returned by `XPathResult` [p.17] interfaces to represent the XPath namespace node type that DOM lacks. There is no public constructor for this node type. Attempts to place it into a hierarchy or a `NamedNodeMap` result in a `DOMException` with the code `HIERARCHY_REQUEST_ERR`. This node is *read only* [p.40], so methods or setting of attributes that would mutate the node result in a `DOMException` with the code `NO_MODIFICATION_ALLOWED_ERR`.

The core specification describes attributes of the `Node` interface that are different for different node types but does not describe `XPATH_NAMESPACE_NODE`, so here is a description of those attributes for this node type. All attributes of `Node` not described in this section have a `null` or `false` value.

`ownerDocument` matches the `ownerDocument` of the `ownerElement` even if the element is later adopted.

`prefix` is the prefix of the namespace represented by the node.

`nodeName` is the same as `prefix`.

`NodeType` is equal to `XPATH_NAMESPACE_NODE`.

`namespaceURI` is the namespace URI of the namespace represented by the node.

`adoptNode`, `cloneNode`, and `importNode` fail on this node type by raising a `DOMException` with the code `NOT_SUPPORTED_ERR`.

Issue XPath-12:

`importNode` should also fail on `XPathNamespace` nodes.

Resolution: This was already fixed in the public draft.

Issue XPath-3:

The `Namespace` node should be added to DOM Level 3 core and should be available via a read-only `NamedNodeMap` on `element` to reduce the confusion of adding a special node type for XPath.

Resolution: No change.

There are no known problems with this add-on node type and uses beyond XPath are not anticipated.

Issue XPath-11:

`Node.namespaceValue` should be identical to `Node.namespaceURI` and not null.

Resolution: No change.

It is not clear why it should be this way since the infoset does not dictate it.

IDL Definition

```
interface XPathNamespace : Node {
    // XPathNodeType
    const unsigned short      XPATH_NAMESPACE_NODE      = 13;

    readonly attribute Element      ownerElement;
};
```

Definition group *XPathNodeType*

An integer indicating which type of node this is.

Note: There is currently only one type of node which is specific to XPath. The numbers in this list must not collide with the values assigned to core node types.

Defined Constants

`XPATH_NAMESPACE_NODE`
The node is a `Namespace`.

Attributes

`ownerElement` of type `Element`, readonly

The `Element` on which the namespace was in scope when it was requested. This does not change on a returned namespace node even if the document changes such that the namespace goes out of scope on that *element* [p.39] and this node is no longer found there by XPath.

1.3. Interfaces

Appendix A: IDL Definitions

This appendix contains the complete OMG IDL [OMGIDL] for the Level 3 Document Object Model XPath definitions.

The IDL files are also available as:

<http://www.w3.org/TR/2002/WD-DOM-Level-3-XPath-20020208/idl.zip>

xpath.idl:

```
// File: xpath.idl

#ifndef _XPATH_IDL_
#define _XPATH_IDL_

#include "dom.idl"

#pragma prefix "dom.w3c.org"
module xpath
{

    typedef dom::DOMString DOMString;
    typedef dom::Node Node;
    typedef dom::Element Element;

    interface XPathNSResolver;
    interface XPathResult;
    interface XPathExpression;

    exception XPathException {
        unsigned short code;
    };
    // XPathExceptionCode
    const unsigned short INVALID_EXPRESSION_ERR = 1;
    const unsigned short TYPE_ERR = 2;

    interface XPathEvaluator {
        XPathExpression createExpression(in DOMString expression,
                                        in XPathNSResolver resolver)
            raises(XPathException,
                 dom::DOMException);
        XPathNSResolver createNSResolver(in Node nodeResolver);
        XPathResult evaluate(in DOMString expression,
                            in Node contextNode,
                            in XPathNSResolver resolver,
                            in unsigned short type,
                            in XPathResult result)
            raises(XPathException,
                 dom::DOMException);
    };

    interface XPathExpression {
        XPathResult evaluate(in Node contextNode,
```

xpath.idl:

```

        in unsigned short type,
        in XPathResult result)
            raises(XPathException,
                  dom::DOMException);
};

interface XPathNSResolver {
    DOMString      lookupNamespaceURI(in DOMString prefix);
};

interface XPathResult {

    // XPathResultType
    const unsigned short    ANY_TYPE                = 0;
    const unsigned short    NUMBER_TYPE             = 1;
    const unsigned short    STRING_TYPE             = 2;
    const unsigned short    BOOLEAN_TYPE            = 3;
    const unsigned short    UNORDERED_NODE_ITERATOR_TYPE = 4;
    const unsigned short    ORDERED_NODE_ITERATOR_TYPE = 5;
    const unsigned short    UNORDERED_NODE_SNAPSHOT_TYPE = 6;
    const unsigned short    ORDERED_NODE_SNAPSHOT_TYPE = 7;
    const unsigned short    ANY_UNORDERED_NODE_TYPE = 8;
    const unsigned short    FIRST_ORDERED_NODE_TYPE = 9;

    readonly attribute unsigned short    resultType;
    readonly attribute double            numberValue;
                                        // raises(XPathException) on retrieval

    readonly attribute DOMString         stringValue;
                                        // raises(XPathException) on retrieval

    readonly attribute boolean          booleanValue;
                                        // raises(XPathException) on retrieval

    readonly attribute Node             singleNodeValue;
                                        // raises(XPathException) on retrieval

    readonly attribute boolean          invalidIteratorState;
    readonly attribute unsigned long    snapshotLength;
                                        // raises(XPathException) on retrieval

    Node                                iterateNext()
                                        raises(XPathException,
                                                dom::DOMException);

    Node                                snapshotItem(in unsigned long index)
                                        raises(XPathException);
};

interface XPathNamespace : Node {

    // XPathNodeType
    const unsigned short    XPATH_NAMESPACE_NODE    = 13;

    readonly attribute Element    ownerElement;
};
```

xpath.idl:

```
};  
};
```

```
#endif // _XPATH_IDL_
```

xpath.idl:

Appendix B: Java Language Binding

This appendix contains the complete Java [Java] bindings for the Level 3 Document Object Model XPath.

The Java files are also available as

<http://www.w3.org/TR/2002/WD-DOM-Level-3-XPath-20020208/java-binding.zip>

B.1: Other XPath interfaces

org/w3c/dom/xpath/XPathException.java:

```
package org.w3c.dom.xpath;

public class XPathException extends RuntimeException {
    public XPathException(short code, String message) {
        super(message);
        this.code = code;
    }
    public short code;
    // XPathExceptionCode
    public static final short INVALID_EXPRESSION_ERR = 1;
    public static final short TYPE_ERR = 2;
}

```

org/w3c/dom/xpath/XPathEvaluator.java:

```
package org.w3c.dom.xpath;

import org.w3c.dom.Node;
import org.w3c.dom.DOMException;

public interface XPathEvaluator {
    public XPathExpression createExpression(String expression,
                                         XPathNSResolver resolver)
        throws XPathException, DOMException;

    public XPathNSResolver createNSResolver(Node nodeResolver);

    public XPathResult evaluate(String expression,
                               Node contextNode,
                               XPathNSResolver resolver,
                               short type,
                               XPathResult result)
        throws XPathException, DOMException;
}

```

org/w3c/dom/xpath/XPathExpression.java:

```

package org.w3c.dom.xpath;

import org.w3c.dom.Node;
import org.w3c.dom.DOMException;

public interface XPathExpression {
    public XPathResult evaluate(Node contextNode,
                               short type,
                               XPathResult result)
        throws XPathException, DOMException;
}

```

org/w3c/dom/xpath/XPathNSResolver.java:

```

package org.w3c.dom.xpath;

public interface XPathNSResolver {
    public String lookupNamespaceURI(String prefix);
}

```

org/w3c/dom/xpath/XPathResult.java:

```

package org.w3c.dom.xpath;

import org.w3c.dom.Node;
import org.w3c.dom.DOMException;

public interface XPathResult {
    // XPathResultType
    public static final short ANY_TYPE = 0;
    public static final short NUMBER_TYPE = 1;
    public static final short STRING_TYPE = 2;
    public static final short BOOLEAN_TYPE = 3;
    public static final short UNORDERED_NODE_ITERATOR_TYPE = 4;
    public static final short ORDERED_NODE_ITERATOR_TYPE = 5;
    public static final short UNORDERED_NODE_SNAPSHOT_TYPE = 6;
    public static final short ORDERED_NODE_SNAPSHOT_TYPE = 7;
    public static final short ANY_UNORDERED_NODE_TYPE = 8;
    public static final short FIRST_ORDERED_NODE_TYPE = 9;

    public short getResultType();

    public double getNumberValue()
        throws XPathException;

    public String getStringValue()
        throws XPathException;

    public boolean getBooleanValue()
        throws XPathException;
}

```

org/w3c/dom/xpath/XPathNamespace.java:

```
public Node getSingleNodeValue()
    throws XPathException;

public boolean getInvalidIteratorState();

public int getSnapshotLength()
    throws XPathException;

public Node iterateNext()
    throws XPathException, DOMException;

public Node snapshotItem(int index)
    throws XPathException;

}
```

org/w3c/dom/xpath/XPathNamespace.java:

```
package org.w3c.dom.xpath;

import org.w3c.dom.Element;
import org.w3c.dom.Node;

public interface XPathNamespace extends Node {
    // XPathNodeType
    public static final short XPATH_NAMESPACE_NODE = 13;

    public Element getOwnerElement();
}
```

org/w3c/dom/xpath/XPathNamespace.java:

Appendix C: ECMAScript Language Binding

This appendix contains the complete ECMAScript [ECMAScript] binding for the Level 3 Document Object Model XPath definitions.

Properties of the **XPathException** Constructor function:

XPathException.INVALID_EXPRESSION_ERR

The value of the constant **XPathException.INVALID_EXPRESSION_ERR** is **1**.

XPathException.TYPE_ERR

The value of the constant **XPathException.TYPE_ERR** is **2**.

Objects that implement the **XPathException** interface:

Properties of objects that implement the **XPathException** interface:

code

This property is a **Number**.

Objects that implement the **XPathEvaluator** interface:

Functions of objects that implement the **XPathEvaluator** interface:

createExpression(expression, resolver)

This function returns an object that implements the **XPathExpression** interface.

The **expression** parameter is a **String**.

The **resolver** parameter is an object that implements the **XPathNSResolver** interface.

This function can raise an object that implements the **XPathException** interface or the **DOMException** interface.

createNSResolver(nodeResolver)

This function returns an object that implements the **XPathNSResolver** interface.

The **nodeResolver** parameter is an object that implements the **Node** interface.

evaluate(expression, contextNode, resolver, type, result)

This function returns an object that implements the **XPathResult** interface.

The **expression** parameter is a **String**.

The **contextNode** parameter is an object that implements the **Node** interface.

The **resolver** parameter is an object that implements the **XPathNSResolver** interface.

The **type** parameter is a **Number**.

The **result** parameter is an object that implements the **XPathResult** interface.

This function can raise an object that implements the **XPathException** interface or the **DOMException** interface.

Objects that implement the **XPathExpression** interface:

Functions of objects that implement the **XPathExpression** interface:

evaluate(contextNode, type, result)

This function returns an object that implements the **XPathResult** interface.

The **contextNode** parameter is an object that implements the **Node** interface.

The **type** parameter is a **Number**.

The **result** parameter is an object that implements the **XPathResult** interface.

This function can raise an object that implements the **XPathException** interface or the **DOMException** interface.

Objects that implement the **XPathNSResolver** interface:

Functions of objects that implement the **XPathNSResolver** interface:

lookupNamespaceURI(prefix)

This function returns a **String**.

The **prefix** parameter is a **String**.

Properties of the **XPathResult** Constructor function:

XPathResult.ANY_TYPE

The value of the constant **XPathResult.ANY_TYPE** is **0**.

XPathResult.NUMBER_TYPE

The value of the constant **XPathResult.NUMBER_TYPE** is **1**.

XPathResult.STRING_TYPE

The value of the constant **XPathResult.STRING_TYPE** is **2**.

XPathResult.BOOLEAN_TYPE

The value of the constant **XPathResult.BOOLEAN_TYPE** is **3**.

XPathResult.UNORDERED_NODE_ITERATOR_TYPE

The value of the constant **XPathResult.UNORDERED_NODE_ITERATOR_TYPE** is **4**.

XPathResult.ORDERED_NODE_ITERATOR_TYPE

The value of the constant **XPathResult.ORDERED_NODE_ITERATOR_TYPE** is **5**.

XPathResult.UNORDERED_NODE_SNAPSHOT_TYPE

The value of the constant **XPathResult.UNORDERED_NODE_SNAPSHOT_TYPE** is **6**.

XPathResult.ORDERED_NODE_SNAPSHOT_TYPE

The value of the constant **XPathResult.ORDERED_NODE_SNAPSHOT_TYPE** is **7**.

XPathResult.ANY_UNORDERED_NODE_TYPE

The value of the constant **XPathResult.ANY_UNORDERED_NODE_TYPE** is **8**.

XPathResult.FIRST_ORDERED_NODE_TYPE

The value of the constant **XPathResult.FIRST_ORDERED_NODE_TYPE** is **9**.

Objects that implement the **XPathResult** interface:

Properties of objects that implement the **XPathResult** interface:

resultType

This read-only property is a **Number**.

numberValue

This read-only property is an object that implements the **double** interface and can raise an object that implements the **XPathException** interface on retrieval.

stringValue

This read-only property is a **String** and can raise an object that implements the **XPathException** interface on retrieval.

booleanValue

This read-only property is a **Boolean** and can raise an object that implements the **XPathException** interface on retrieval.

singleNodeValue

This read-only property is an object that implements the **Node** interface and can raise an object that implements the **XPathException** interface on retrieval.

invalidIteratorState

This read-only property is a **Boolean**.

snapshotLength

This read-only property is a **Number** and can raise an object that implements the **XPathException** interface on retrieval.

Functions of objects that implement the **XPathResult** interface:

iterateNext()

This function returns an object that implements the **Node** interface.

This function can raise an object that implements the **XPathException** interface or the **DOMException** interface.

snapshotItem(index)

This function returns an object that implements the **Node** interface.

The **index** parameter is a **Number**.

This function can raise an object that implements the **XPathException** interface.

Properties of the **XPathNamespace** Constructor function:

XPathNamespace.XPATH_NAMESPACE_NODE

The value of the constant **XPathNamespace.XPATH_NAMESPACE_NODE** is **13**.

Objects that implement the **XPathNamespace** interface:

Objects that implement the **XPathNamespace** interface have all properties and functions of the **Node** interface as well as the properties and functions defined below.

Properties of objects that implement the **XPathNamespace** interface:

ownerElement

This read-only property is an object that implements the **Element** interface.

Appendix D: Acknowledgements

Many people contributed to the DOM specifications (Level 1, 2 or 3), including members of the DOM Working Group and the DOM Interest Group. We especially thank the following:

Andrew Watson (Object Management Group), Andy Heninger (IBM), Angel Diaz (IBM), Arnaud Le Hors (W3C and IBM), Ashok Malhotra (IBM and Microsoft), Ben Chang (Oracle), Bill Smith (Sun), Bill Shea (Merrill Lynch), Bob Sutor (IBM), Chris Lovett (Microsoft), Chris Wilson (Microsoft), David Brownell (Sun), David Ezell (Hewlett Packard Company), David Singer (IBM), Dimitris Dimitriadis (Improve AB), Don Park (invited), Elena Litani (IBM), Eric Vasilik (Microsoft), Gavin Nicol (INSO), Ian Jacobs (W3C), James Clark (invited), James Davidson (Sun), Jared Sorensen (Novell), Jeroen van Rotterdam (X-Hive Corporation), Joe Kesselman (IBM), Joe Lapp (webMethods), Joe Marini (Macromedia), Johnny Stenback (Netscape/AOL), Jon Ferraiolo (Adobe), Jonathan Marsh (Microsoft), Jonathan Robie (Texcel Research and Software AG), Kim Adamson-Sharpe (SoftQuad Software Inc.), Lauren Wood (SoftQuad Software Inc., *former chair*), Laurence Cable (Sun), Mark Davis (IBM), Mark Scardina (Oracle), Martin Dürst (W3C), Mary Brady (NIST), Mick Goulish (Software AG), Mike Champion (Arbortext and Software AG), Miles Sabin (Cromwell Media), Patti Lutsky (Arbortext), Paul Grosso (Arbortext), Peter Sharpe (SoftQuad Software Inc.), Phil Karlton (Netscape), Philippe Le Hégarret (W3C, *W3C team contact and Chair*), Ramesh Lekshmyanarayanan (Merrill Lynch), Ray Whitmer (iMall, Excite@Home, and Netscape/AOL), Rezaur Rahman (Intel), Rich Rollman (Microsoft), Rick Gessner (Netscape), Rick Jelliffe (invited), Rob Relyea (Microsoft), Scott Isaacs (Microsoft), Sharon Adler (INSO), Steve Byrne (JavaSoft), Tim Bray (invited), Tim Yu (Oracle), Tom Pixley (Netscape/AOL), Vidur Apparao (Netscape), Vinod Anupam (Lucent).

Thanks to all those who have helped to improve this specification by sending suggestions and corrections (Please, keep bugging us with your issues!).

D.1: Production Systems

This specification was written in XML. The HTML, OMG IDL, Java and ECMAScript bindings were all produced automatically.

Thanks to Joe English, author of cost, which was used as the basis for producing DOM Level 1. Thanks also to Gavin Nicol, who wrote the scripts which run on top of cost. Arnaud Le Hors and Philippe Le Hégarret maintained the scripts.

After DOM Level 1, we used Xerces as the basis DOM implementation and wish to thank the authors. Philippe Le Hégarret and Arnaud Le Hors wrote the Java programs which are the DOM application.

Thanks also to Jan Kärrman, author of html2ps, which we use in creating the PostScript version of the specification.

Glossary

Editors:

Arnaud Le Hors, W3C

Robert S. Sutor, IBM Research (for DOM Level 1)

Several of the following term definitions have been borrowed or modified from similar definitions in other W3C or standards documents. See the links within the definitions for more information.

API

An *API* is an Application Programming Interface, a set of functions or methods used to access some functionality.

document element

There is only one document element in a `Document`. This element node is a child of the `Document` node. See *Well-Formed XML Documents* in XML [XML 1.0].

document order

There is an ordering, *document order*, defined on all the nodes in the document corresponding to the order in which the first character of the XML representation of each node occurs in the XML representation of the document after expansion of general entities. Thus, the *document element* [p.39] node will be the first node. Element nodes occur before their children. Thus, document order orders element nodes in order of the occurrence of their start-tag in the XML (after expansion of entities). The attribute nodes of an element occur after the element and before its children. The relative order of attribute nodes is implementation-dependent.

element

Each document contains one or more elements, the boundaries of which are either delimited by start-tags and end-tags, or, for empty elements by an empty-element tag. Each element has a type, identified by name, and may have a set of attributes. Each attribute has a name and a value. See *Logical Structures* in XML [XML 1.0].

logically-adjacent text nodes

Logically-adjacent text nodes are `Text` or `CDataSection` nodes that may be visited sequentially in *document order* [p.39] without entering, exiting, or passing over `Element`, `Comment`, or `ProcessingInstruction` nodes.

live

An object is *live* if any change to the underlying document structure is reflected in the object.

model

A *model* is the actual data representation for the information at hand. Examples are the structural model and the style model representing the parse structure and the style information associated with a document. The model might be a tree, or a directed graph, or something else.

namespace prefix

A *namespace prefix* is a string that associates an element or attribute name with a *namespace URI* in XML. See namespace prefix in Namespaces in XML [XML Namespaces].

namespace URI

A *namespace URI* is a URI that identifies an XML namespace. This is called the namespace name in Namespaces in XML [XML Namespaces].

read only node

A *read only node* is a node that is immutable. This means its list of children, its content, and its attributes, when it is an element, cannot be changed in any way. However, a read only node can possibly be moved, when it is not itself contained in a read only node.

tokenized

The description given to various information items (for example, attribute values of various types, but not including the StringType CDATA) after having been processed by the XML processor. The process includes stripping leading and trailing white space, and replacing multiple space characters by one. See the definition of tokenized type.

well-formed document

A document is *well-formed* if it is tag valid and entities are limited to single elements (i.e., single sub-trees).

References

For the latest version of any W3C specification please consult the list of W3C Technical Reports available at <http://www.w3.org/TR>.

F.1: Normative references

DOM Level 3 Core

W3C (World Wide Web Consortium) Document Object Model Level 3 Core Specification, September 2001. Available at <http://www.w3.org/TR/DOM-Level-3-Core>

ECMAScript

ISO (International Organization for Standardization). ISO/IEC 16262:1998. ECMAScript Language Specification. Available from ECMA (European Computer Manufacturers Association) at <http://www.ecma.ch/ecma1/STAND/ECMA-262.HTM>

Java

Sun Microsystems Inc. The Java Language Specification, James Gosling, Bill Joy, and Guy Steele, September 1996. Available at <http://java.sun.com/docs/books/jls>

OMGIDL

OMG (Object Management Group) IDL (Interface Definition Language) defined in The Common Object Request Broker: Architecture and Specification, version 2.3.1, October 1999. Available from <http://www.omg.org>

XML Information set

W3C (World Wide Web Consortium) XML Information Set, October 2001. Available at <http://www.w3.org/TR/2001/REC-xml-info-set-20011024>

XPath 1.0

W3C (World Wide Web Consortium) XML Path Language (XPath) Version 1.0, November 1999. Available at <http://www.w3.org/TR/1999/REC-xpath-19991116>

F.2: Informative references

XML 1.0

W3C (World Wide Web Consortium) Extensible Markup Language (XML) 1.0, October 2000. Available at <http://www.w3.org/TR/2000/REC-xml-20001006>

XML Namespaces

W3C (World Wide Web Consortium) Namespaces in XML, January 1999. Available at <http://www.w3.org/TR/1999/REC-xml-names-19990114>

F.2: Informative references

Index

ANY_TYPE	ANY_UNORDERED_NODE_TYPE	API 9, 39
BOOLEAN_TYPE	booleanValue	
createExpression	createNSResolver	
document element	document order 10, 39	DOM Level 3 Core 9, 9, 10, 41
ECMAScript	element 9, 23, 39	evaluate 13, 15
FIRST_ORDERED_NODE_TYPE		
INVALID_EXPRESSION_ERR	invalidIteratorState	iterateNext
Java		
live 9, 39	logically-adjacent text nodes 9, 39	lookupNamespaceURI
model 9, 39		
namespace prefix 12, 13, 16, 39	namespace URI 12, 13, 16, 39	NUMBER_TYPE
numberValue		
OMGIDL	ORDERED_NODE_ITERATOR_TYPE	ORDERED_NODE_SNAPSHOT_TYPE
ownerElement		
read only node 21, 40	resultType	
singleNodeValue	snapshotItem	snapshotLength
STRING_TYPE	stringValue	
tokenized	TYPE_ERR	
UNORDERED_NODE_ITERATOR_TYPE	UNORDERED_NODE_SNAPSHOT_TYPE	

Index

well-formed document

XML 1.0 39, 39, 41

XPath 1.0 9, 9, 41

XPathException

XPathNSResolver

XML Information set 9, 41

XPATH_NAMESPACE_NODE

XPathExpression

XPathResult

XML Namespaces 39, 39, 41

XPathEvaluator

XPathNamespace