

Control Pictures

Range: 2400–243F

This chart contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 18.0*

This file will not be updated with errata, or when additional characters are assigned to the Unicode Standard.

See <https://www.unicode.org/errata/> for an up-to-date list of errata.

See <https://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <https://www.unicode.org/charts/PDF/Unicode-18.0/> for charts showing only the characters added in Unicode 18.0. See <https://www.unicode.org/Public/18.0.0/charts/> for a complete set of character code charts for Unicode 18.0. See <https://www.unicode.org/Public/18.0.0/charts/About.html#Conventions> for conventions used in these code charts, and other general information.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 18.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 18.0, online at:

<https://www.unicode.org/versions/Unicode18.0.0/>

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See <https://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

© 1991–2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (<https://www.unicode.org/copyright.html>). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (<https://www.unicode.org/copyright.html>). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided “AS-IS” without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

	240	241	242	243
0	N_UL 2400	D_LE 2410	S_P 2420	
1	S_OH 2401	D_C₁ 2411	D_EL 2421	
2	S_TX 2402	D_C₂ 2412	b 2422	
3	E_TX 2403	D_C₃ 2413	L 2423	
4	E_OT 2404	D_C₄ 2414	N_L 2424	
5	E_NQ 2405	N_AK 2415	/// 2425	
6	A_CK 2406	S_YN 2416	? 2426	
7	B_EL 2407	E_TB 2417	▣ 2427	
8	B_S 2408	C_AN 2418	▣ 2428	
9	H_T 2409	E_M 2419	▣ 2429	
A	L_F 240A	S_UB 241A		
B	V_T 240B	E_SC 241B		
C	F_F 240C	F_S 241C		
D	C_R 240D	G_S 241D		
E	S_O 240E	R_S 241E		
F	S_I 240F	U_S 241F		

The diagonal lettering glyphs are only exemplary; alternate representations may be, and often are used in the visible display of control codes.

- 2428  SYMBOL FOR DELETE RECTANGULAR CHECKER BOARD FORM
- 2429  SYMBOL FOR DELETE MEDIUM SHADE FORM

Graphic pictures for control codes

- 2400 N_{UL} SYMBOL FOR NULL
- 2401 S_{OH} SYMBOL FOR START OF HEADING
- 2402 S_{TX} SYMBOL FOR START OF TEXT
- 2403 E_{TX} SYMBOL FOR END OF TEXT
- 2404 C_{OT} SYMBOL FOR END OF TRANSMISSION
- 2405 E_{NO} SYMBOL FOR ENQUIRY
- 2406 A_{CK} SYMBOL FOR ACKNOWLEDGE
- 2407 B_{EL} SYMBOL FOR BELL
- 2408 B_S SYMBOL FOR BACKSPACE
- 2409 H_T SYMBOL FOR HORIZONTAL TABULATION
- 240A L_F SYMBOL FOR LINE FEED
- 240B V_T SYMBOL FOR VERTICAL TABULATION
- 240C F_F SYMBOL FOR FORM FEED
- 240D C_R SYMBOL FOR CARRIAGE RETURN
- 240E S_O SYMBOL FOR SHIFT OUT
- 240F S_I SYMBOL FOR SHIFT IN
- 2410 D_{LE} SYMBOL FOR DATA LINK ESCAPE
- 2411 D_{C_1} SYMBOL FOR DEVICE CONTROL ONE
- 2412 D_{C_2} SYMBOL FOR DEVICE CONTROL TWO
- 2413 D_{C_3} SYMBOL FOR DEVICE CONTROL THREE
- 2414 D_{C_4} SYMBOL FOR DEVICE CONTROL FOUR
- 2415 N_{AK} SYMBOL FOR NEGATIVE ACKNOWLEDGE
- 2416 S_{YN} SYMBOL FOR SYNCHRONOUS IDLE
- 2417 E_{TB} SYMBOL FOR END OF TRANSMISSION BLOCK
- 2418 C_{AN} SYMBOL FOR CANCEL
- 2419 E_M SYMBOL FOR END OF MEDIUM
- 241A S_{UB} SYMBOL FOR SUBSTITUTE
- 241B E_{SC} SYMBOL FOR ESCAPE
- 241C F_S SYMBOL FOR FILE SEPARATOR
- 241D G_S SYMBOL FOR GROUP SEPARATOR
- 241E R_S SYMBOL FOR RECORD SEPARATOR
- 241F U_S SYMBOL FOR UNIT SEPARATOR
- 2420 S_P SYMBOL FOR SPACE
- 2421 D_{EL} SYMBOL FOR DELETE

Specific symbols for space

- 2422 b BLANK SYMBOL
- graphic for space
 - 0180 b latin small letter b with stroke
- 2423 ┐ OPEN BOX
- graphic for space
 - 2334 ┐ counterbore

Graphic picture for control code

- 2424 N_L SYMBOL FOR NEWLINE

Keyboard symbol

- 2425  SYMBOL FOR DELETE FORM TWO
- from ISO/IEC 9995-7
 - keyboard symbol for undoable delete

Specific symbol for control code

- 2426 ؟ SYMBOL FOR SUBSTITUTE FORM TWO
- from ISO 2047
 - 061F ؟ arabic question mark

Legacy computer symbols for delete

- 2427  SYMBOL FOR DELETE SQUARE CHECKER BOARD FORM