

Using T_EX Fonts in the Gnuplot Postscript Terminal

Harald Harders, h.harders@tu-bs.de

2003-03-03

The Postscript terminal can embed Postscript Type1 fonts (with extensions `.pfa` and `.pfb`) and TrueType fonts (extension `.ttf`)¹ using the command

```
set terminal postscript fontfile '<filename>'
```

The `fontfile` option can be used multiple times. See the sections *set terminal postscript* and *set fontpath* in the Gnuplot documentation for further description.

The embedded font can be used by

```
set terminal postscript '<fontname>' <size>
```

or in postscript enhanced terminal as following example:

```
set xlabel '{/CMMI10 x}'
```

Among other things, the font embedding is useful for generating plots to be included in L^AT_EX documents. For normal text, the *cm-super* Postscript Type1 fonts are a good choice. They are available from CTAN servers, e.g.

```
ftp://ftp.dante.de/tex-archive/fonts/ps-type1/cm-super/
```

The normal upright font with serifs is defined in `sfrm1000.pfb`, and the font name is `SFRM1000`² (The 1000 means that this font is designed for 10pt). Replace the `rm` by `it`, `bx` or other combinations in both the file name and the font name (here, in uppercase letters) in order to get other font shapes. The encoding of these fonts is ordinary and thus is not described here. Table 1 shows some examples of fonts contained in the *cm-super* font bundle.

For mathematics the Type1 versions of the Computer Modern fonts are useful. They should be installed in most T_EX implementations and are also available from CTAN servers, e.g.

```
ftp://ftp.dante.de/tex-archive/fonts/cm/ps-type1/bluesky/pfb/
```

Here, the font name is the base of the file name in uppercase letters, e.g. the file `cmmi10.pfb` contains the font `CMMI10`. Since the encoding of these fonts is strange, a table containing all characters for some fonts follows. The font `CMEX10` contains large symbols for mathematics. They overlap sometimes in the table. Since the baseline of the `CMEX10` font is at the top of the signs, Gnuplot defines a font `CMEX10-Baseline` with a different baseline if `CMEX10` is embedded (normally by using `fontfile 'cmex10.pfb'`). In contrast to the other fonts, `CMEX10` is only available in the design size 10pt.

You can access all characters of the fonts by typing their octal code. To get a ♥ symbol, you may type:

```
set label '{/CMSY10 \176}' at graph 0.5,0.5
```

¹If `.pfb` and `.ttf` fonts really can be embedded depends on your gnuplot installation: It needs to be able to handle pipes.

²If you have an old version of the *cm-super* font, prior 2001-10-14, the font name is in lowercase letters: `sfrm1000`. You should update to a new version.

Table 1: Some fonts in the cm-super font bundle (for a designsizes of 10 pt)

File name	Full font name (all preceded by Computer Modern)	Example
sfrm1000.pfb	Roman	Example
sfbx1000.pfb	Bold Extended	Example
sfti1000.pfb	Italic	<i>Example</i>
sfbi1000.pfb	Bold Extended Italic	<i>Example</i>
sfs11000.pfb	Slanted	<i>Example</i>
sfbl1000.pfb	Bold Extended Slanted	<i>Example</i>
sfcc1000.pfb	Caps and Small Caps	EXAMPLE
sfss1000.pfb	Sans Serif	Example
sfsi1000.pfb	Sans Serif Slanted	<i>Example</i>
sfsx1000.pfb	Sans Serif Bold Extended	Example
sfso1000.pfb	Sans Serif Bold Extended Slanted	<i>Example</i>
sftt1000.pfb	Typewriter	Example
sfit1000.pfb	Typewriter Italic	<i>Example</i>
sfst1000.pfb	Typewriter Slanted	<i>Example</i>
sftc1000.pfb	Typewriter Caps and Small Caps	EXAMPLE

Since characters with an octal number below \040 can't be displayed by some postscript interpreters, these characters are repeated in the Computer Modern Fonts with a larger code. Thus, you should use the larger number, where two octal numbers are given (e.g. \000, \241). For example, you better use

```
set xlabel '{/CMR10 \242}'
```

than

```
set xlabel '{/CMR10 \001}'
```

to get an upright uppercase Delta Δ .

Oct	CMR10	CMT10	CMTT10	CMN10	CMU10	CMSS10	CMTEX10	CMFF10	CMSSY10	LASY10	CMEX10-Baseline	Oct	Dec
\000, \241	Γ	Γ	Γ	Γ	Γ	Γ	·	Γ	—		(\000, \241	0, 161
\001, \242	Δ	Δ	Δ	Δ	Δ	Δ	↓	Δ	·	Δ)	\001, \242	1, 162
\002, \243	Θ	Θ	Θ	Θ	Θ	Θ	α	Θ	×	Δ	[\002, \243	2, 163
\003, \244	Λ	Λ	Λ	Λ	Λ	Λ	β	Λ	*	▽]	\003, \244	3, 164
\004, \245	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Λ	Ξ	÷	▽	[\004, \245	4, 165
\005, \246	Π	Π	Π	Π	Π	Π	¬	Π	◇]	\005, \246	5, 166
\006, \247	Σ	Σ	Σ	Σ	Σ	Σ	ε	Σ	±		[\006, \247	6, 167
\007, \250	Υ	Υ	Υ	Υ	Υ	Υ	π	Υ	≠]	\007, \250	7, 168
\010, \251	Φ	Φ	Φ	Φ	Φ	Φ	λ	Φ	⊕		{	\010, \251	8, 169

												Oct	Dec
Oct		CMR10	CMTH10	CMTT10	CMMI10	CMU10	CMSS10	CMTEX10	CMFF10	CMSY10	LASY10	CMEX10-Baseline	
\011, \252	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	γ	ψ	\oplus		}	\011, \252 9, 170
\012, \255	Ω	Ω	Ω	Ω	Ω	Ω	Ω	δ	Ω	\otimes		<	\012, \255 10, 173
\013, \256	\mathfrak{f}	\mathfrak{f}	\uparrow	α	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\uparrow	π	\otimes		>	\013, \256 11, 174
\014, \257	\mathfrak{f}	\mathfrak{f}	\downarrow	β	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\pm	π	\odot			\014, \257 12, 175
\015, \260	\mathfrak{f}	\mathfrak{f}	\prime	γ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{e}	π	\bigcirc			\015, \260 13, 176
\016, \261	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	δ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{e}	\mathfrak{m}	\circ		/	\016, \261 14, 177
\017, \262	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ϵ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	∂	\mathfrak{m}	\bullet		\	\017, \262 15, 178
\020, \263	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ζ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\times		(\020, \263 16, 179
\021, \264	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	η	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\equiv)	\021, \264 17, 180
\022, \265	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	θ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\cap		(\022, \265 18, 181
\023, \266	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ι	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\cup)	\023, \266 19, 182
\024, \267	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	κ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	∇)	\024, \267 20, 183
\025, \270	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	λ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	Ξ		[\025, \270 21, 184
\026, \271	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	μ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		[\026, \271 22, 185
\027, \272	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ν	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		[\027, \272 23, 186
\030, \273	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ξ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		[\030, \273 24, 187
\031, \274	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	π	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		[\031, \274 25, 188
\032, \275	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ρ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		}	\032, \275 26, 189
\033, \276	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	σ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		}	\033, \276 27, 190
\034, \277	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	τ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		}	\034, \277 28, 191
\035, \300	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	υ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\035, \300 29, 192
\036, \301	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ϕ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\036, \301 30, 193
\037, \302	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	χ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\037, \302 31, 194
\040, \303	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ψ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\040, \303 32, 195
\041	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ω	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\041 33
\042	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ϵ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\042 34
\043	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	ϑ	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\043 35
\044	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\044 36
\045	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\045 37
\046	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\046 38
\047	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\047 39
\050	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\050 40
\051	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\051 41
\052	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\052 42
\053	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\053 43
\054	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\054 44
\055	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\055 45
\056	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\056 46
\057	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}	\mathfrak{f}		>	\057 47

Oct	CMR10	CMTH10	CMTT10	CMML10	CMU10	CMSS10	CMTEX10	CMFF10	CMSY10	LASY10	CMEX10-Baseline	Oct	Dec
\060	0	0	0	0	0	0	0	0	'	U	/	\060	48
\061	1	1	1	1	1	1	1	1	∞	\boxtimes	\	\061	49
\062	2	2	2	2	2	2	2	2	\in	\square	[\062	50
\063	3	3	3	3	3	3	3	3	\ni	\diamond]	\063	51
\064	4	4	4	4	4	4	4	4	\triangle			\064	52
\065	5	5	5	5	5	5	5	5	∇]	\065	53
\066	6	6	6	6	6	6	6	6	/			\066	54
\067	7	7	7	7	7	7	7	7				\067	55
\070	8	8	8	8	8	8	8	8	\forall		/	\070	56
\071	9	9	9	9	9	9	9	9	\exists)	\071	57
\072	:	:	:	.	:	:	:	:	\neg	\sim	(\072	58
\073	;	;	;	,	;	;	;	;	\emptyset	\leadsto)	\073	59
\074	i	i	<	<	i	i	<	i	\Re	\sqsubset	}	\074	60
\075	=	=	=	/	=	=	=	=	\Im	\sqsubset	}	\075	61
\076	i	i	>	>	i	i	>	i	\top		}	\076	62
\077	?	?	?	*	?	?	?	?	\perp			\077	63
\100	@	@	@	∂	@	@	@	@	\aleph		\	\100	64
\101	A	A	A	A	A	A	A	A	\mathcal{A})	\101	65
\102	B	B	B	B	B	B	B	B	\mathcal{B}			\102	66
\103	C	C	C	C	C	C	C	C	\mathcal{C}			\103	67
\104	D	D	D	D	D	D	D	D	\mathcal{D}		<	\104	68
\105	E	E	E	E	E	E	E	E	\mathcal{E}		>	\105	69
\106	F	F	F	F	F	F	F	F	\mathcal{F}		\sqcup	\106	70
\107	G	G	G	G	G	G	G	G	\mathcal{G}		\sqcup	\107	71
\110	H	H	H	H	H	H	H	H	\mathcal{H}		\mathfrak{H}	\110	72
\111	I	I	I	I	I	I	I	I	\mathcal{I}		\mathfrak{I}	\111	73
\112	J	J	J	J	J	J	J	J	\mathcal{J}		\odot	\112	74
\113	K	K	K	K	K	K	K	K	\mathcal{K}		\odot	\113	75
\114	L	L	L	L	L	L	L	L	\mathcal{L}		\oplus	\114	76
\115	M	M	M	M	M	M	M	M	\mathcal{M}		\oplus	\115	77
\116	N	N	N	N	N	N	N	N	\mathcal{N}		\otimes	\116	78
\117	O	O	O	O	O	O	O	O	\mathcal{O}		\otimes	\117	79
\120	P	P	P	P	P	P	P	P	\mathcal{P}		Σ	\120	80
\121	Q	Q	Q	Q	Q	Q	Q	Q	\mathcal{Q}		Π	\121	81
\122	R	R	R	R	R	R	R	R	\mathcal{R}		\int	\122	82
\123	S	S	S	S	S	S	S	S	\mathcal{S}		\cup	\123	83
\124	T	T	T	T	T	T	T	T	\mathcal{T}		\cap	\124	84
\125	U	U	U	U	U	U	U	U	\mathcal{U}		\uplus	\125	85
\126	V	V	V	V	V	V	V	V	\mathcal{V}		\wedge	\126	86

Oct	CMR10	CMTH10	CMTT10	CMMI10	CMU10	CMSS10	CMTEX10	CMFF10	CMSY10	LASY10	CMEX10-Baseline	Oct	Dec
\127	W	W	w	W	W	W	w	W	W		∇	\127	87
\130	X	X	x	X	X	X	x	X	X		Σ	\130	88
\131	Y	Y	Y	Y	Y	Y	Y	Y	Y		Π	\131	89
\132	Z	Z	Z	Z	Z	Z	Z	Z	Z		∫	\132	90
\133	[[[b	[[[[U		U	\133	91
\134	“	“	\	h	“	“	\	“	U		U	\134	92
\135]	/]	#]]]]	⊕		⊕	\135	93
\136	^	^	^	(^	^	^	^	^		^	\136	94
\137	.	.	.)	∨		∨	\137	95
\140	‘	‘	‘	ℓ	‘	‘	‘	‘	⊥		⊥	\140	96
\141	a	a	a	a	a	a	a	a	⊥		Π	\141	97
\142	b	b	b	b	b	b	b	b	⌊		⌊	\142	98
\143	c	c	c	c	c	c	c	c	⌋		⌋	\143	99
\144	d	d	d	d	d	d	d	d	⌈		~	\144	100
\145	e	e	e	e	e	e	e	e	⌋		~	\145	101
\146	f	f	f	f	f	f	f	f	{		~	\146	102
\147	g	g	g	g	g	g	g	g	}			\147	103
\150	h	h	h	h	h	h	h	h	⟨		⌊	\150	104
\151	i	i	i	i	i	i	i	i	⟩		⌋	\151	105
\152	j	j	j	j	j	j	j	j			⌊	\152	106
\153	k	k	k	k	k	k	k	k			⌊	\153	107
\154	l	l	l	l	l	l	l	l	↕		⌊	\154	108
\155	m	m	m	m	m	m	m	m	↕		⌊	\155	109
\156	n	n	n	n	n	n	n	n	\		{	\156	110
\157	o	o	o	o	o	o	o	o	ˆ		}	\157	111
\160	p	p	p	p	p	p	p	p	√		√	\160	112
\161	q	q	q	q	q	q	q	q	Π		√	\161	113
\162	r	r	r	r	r	r	r	r	∇		√	\162	114
\163	s	s	s	s	s	s	s	s	∫		√	\163	115
\164	t	t	t	t	t	t	t	t	⊥		√	\164	116
\165	u	u	u	u	u	u	u	u	⊥		√	\165	117
\166	v	v	v	v	v	v	v	v	⊥		⌈	\166	118
\167	w	w	w	w	w	w	w	w	⊥			\167	119
\170	x	x	x	x	x	x	x	x	§		↑	\170	120
\171	y	y	y	y	y	y	y	y	†		↓	\171	121
\172	z	z	z	z	z	z	z	z	‡		ˆ	\172	122
\173	—	—	{	ˆ	—	—	{	—	¶		ˆ	\173	123
\174	—	—		j	—	—		—	♣		ˆ	\174	124
\175	”	”	}	ø	”	”	}	”	◇		ˆ	\175	125

Oct	CMR10	CMTH10	CMTT10	CMML10	CMU10	CMSS10	CMTEX10	CMFF10	CMSY10	LASY10	CMEX10-Baseline	Oct	Dec
\176	~	~	~	~	~	~	~	~	♡		↗	\176	126
\177, \304	:	:	:)	:	:	∫	:	♠		↘	\177, \304	127, 196
